



# **Product Information**

## **CRAMOIL PHARMA DISINFECT**

### DESCRIPTION

**Cramoil Pharma Disinfect** is a disinfect and cleaning agent which can be easily diluted with water or alcohols to spread over a wide area with disinfecting consistency. This solution kills many germs including influenza virus, coronavirus and gerous staph and strep on environmental surfaces

#### PRODUCT SPECIFICATIONS

Specific Gravity @ 20 <sup>0</sup> C	0.88
Odour	Paraffin-like
Flash Point	> 45 <sup>0</sup> C
Apperarance	Light Yellow

### Benefits / Advantages

Good wetting and disinfecting consistency. Effectively kills bacterial and germs and deodorize the environment. Economical – can be diluted at a ratio of 1:50 for optimum application

### Applications

Commonly used in clean rooms, hospital, kitchens, ships, airports, shopping centers, markets, offices and even factories as a disinfectants and germicides and as a general deodorizer.

### HANDLING PRECAUTIONS

No special precaution is required in the handling of this product apart from the observation of good personal hygiene like washing of contaminated clothing before reuse. Usage of this product under normal circumstances is not likely to pose a health hazard.



# Singapore General Hospital

Department of Pathology Fax: 2226826

Lab No.: C 433/98

Date: 2 November 1998

REPORT

(This report is not to be used for advertising purposes)

on Disinfectant Solution

1 sample received from <u>Cramoil Trading Company</u>

on <u>20 October</u> 19 <u>98</u>.

#### SAMPLE DESCRIPTION

One bottle of sample labelled as:

"Cramoil Pharma Disinfect Batch No.: BA 21016 Mfg. Date: 15/10/98 Cramoil Trading Company"

TEST METHOD

Modified Kelsey Sykes Capacity Test Option for hospital grade disinfectant under "dirty" conditions using test organisms, <u>Escherichia coli</u> NCTC 8196, <u>Pseudomonas</u> <u>aeruginosa</u> NCTC 6749, <u>Proteus vulgaris</u> NCTC 4635 and <u>Staphylococcus aureus</u> NCTC 4163. The sample was tested **neat (without dilutions)**.

Dr Charles Tang Scientific Officer I Pharmaceutical Microbiology Laboratory Department Of Pathology

Page 1 of 2



Singapore General Hospital

Department of Pathology Fax: 2226826

Date: 2 November 1998

TEST RESULT

Lab No.: <u>C 433/98</u>

#### SAMPLE: "Cramoil Pharma Disinfect" TEST CONCENTRATION: Neat (without dilution)

#### ESCHERICHIA COLI\_NCTC 8196

24 HRS 48 HRS		POSITIVE/NEGATIVE CONTROLS + + / + + /	<u>8 MINS</u>	<u>18 MINS</u>	<u>REMARK</u> Pass
		PROTEUS VULG	ARIS NCTC 46	35	
		POSITIVE/NEGATIVE CONTROLS	8 MINS	<u>18 MINS</u>	<u>REMARK</u>
24 HRS 48 HRS		+ + / + + /			Pass
STAPHYLOCOCCUS AUREUS NCTC 4163					
		POSITIVE/NEGATIVE CONTROLS	8MINS	<u>18 MINS</u>	<u>REMARK</u>
24 HRS		++/		4	
48 HRS		+ + /			Pass
PSEUDOMONAS AERUGINOSA NCTC 6749					
		POSITIVE/NEGATIVE CONTROLS	<u>8 MINS</u>	<u>18 MINS</u>	<u>REMARK</u>
24 HRS		++/			
48 HRS		+ + /			Pass
Note:	+ -	: Growth in one tu : No growth in one			
				/	

Dr Charles Tang Scientific Officer I Pharmaceutical Microbiology Laboratory Department Of Pathology

Page 2 of 2